


Product model: H309C



H309C Product Show




FOR A SAFER WORLD.

Functions & Features

- 1、 Reasonable and reliable design, low noise, smooth operation and long service life;
- 2、 With functions of anti-tail, anti-reverse pass and so on;
- 3、 Card can be set "with memory" or "without memory" functions;
- 4、 With automatic reset function, i.e. after having access to the gate, the gate automatically restores to the locked state if not pass within the time set;
- 5、 With infrared anti-clip function (anti-clip when gate is open or running);
- 6、 Compatible with IC, ID card, scanning and face recognition,etc.
- 7、 Two modes of operation are available: open or closed.
- 8、 Various working modes are available, including two-way card reading and one-way card reading,etc.

Size drawing



Parameter

Size	1200*120*980 (mm)		
Chassis	Description	Norm	Model/Brand
	Top cover	12mm	SUS304
	Housing	1.2mm	SUS304
	Filling Panel	10mm	tempered glass
Movement	Description	Norm	Model/Brand
	Mechanism	LY Brushless Integrated Swing Turnstile	/
	Door panel	10mm	transparent acrylic
	Pass Lane	600-800mm	transparent acrylic
Electronic control	Description	Norm	Model/Brand
	Control board	1V2 Brushless Standard Board	/
	Motor	Brushless Motor 60K 50W	/
	IR sensor	6 pairs	PB
	Air switch	2P	ZT
	Power supply	24V 150W	CL
Accessories	Description	Norm	Model/Brand
	Connection cable	5m	MX3.0 black terminals at both ends
	Network cable	5m	Both ends with crystal tips

Case share

Product model: H309C

 **Turboo**



FOR A SAFER WORLD.